

#### **MEDICATIONS**

1. If you are allergic to any of the eyedrops we normally carry in the office (Imprimis), we may have called in prescriptions to your pharmacy. These prescriptions are usually called in within a month of your surgery appointment.

You will need to start these eyedrops several days prior to your surgery. Please see the eyedrop chart below. This was also given to you when you had your evaluation.

- 2. Bring your eye drops and Surgery Drop Schedule to all follow-up appointments.
- 3. If you do not have enough drops to last at least 4 weeks, contact your pharmacy to refill your prescription and to purchase more.
- 4. For those patients who are on **Restasis or Xiidra or Cequa:** Please resume these drops AFTER surgical drops are gone.
  - 2 times per day until gone in the operated eye(s).
  - One vial should be used for a maximum of 1 or 2 days regardless of the instructions you receive from the pharmacy or on the package.

# **Surgery Drop Schedule - IF PRESCRIBED SEPARATE BOTTLES OF EYEDROPS ONLY!**





#### □ RIGHT EYE In the □ LEFT EYE

## Start the following eyedrops 3 DAYS BEFORE SURGERY on\_

-	3 DAYS BEFORE	2 DAYS BEFORE	1 DAY BEFORE	DAY OF SURGERY
Moxifloxacin or Polytrim	4 times a day			
Woxinoxaciii or i ciyanii				
Prednisolone Acetate 1%	4 times a day			
Treamsolone Accease 170				
Prolensa (Morning)	Once a day	Once a day	Once a day	Once a day
riolensa (Morning)				

Week 1	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Moxifloxacin	4 times a day						
or Polytrim							
Prednisolone	4 times a day						
Acetate 1%							
Prolensa	Once a day						
(Morning)							
Week 2	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14
Prednisolone	4 times a day						
Acetate 1%							
Prolensa	Once a day						
(Morning)							
Week 3	Day 15	Day 16	Day 17	Day 18	Day 19	Day 20	Day 21
Prednisolone	4 times a day						
Acetate 1%							
Prolensa	Once a day						
(Morning)							
Week 4	Day 22	Day 23	Day 24	Day 25	Day 26	Day 27	Day 28
Prednisolone	3 times a day						
Acetate 1%							
Prolensa	Once a day						
(Morning)							

#### Your ophthalmologist will discuss the recommended continuation of your eyedrops after 4 weeks

	Day 29	Day 30	Day 31	Day 32	Day 33	Day 34	Day 35
Week 5							
Prednisolone	2 times a day						
Acetate 1%							
Week 6	Day 36	Day 37	Day 38	Day 39	Day 40	Day 41	Day 42

Week 6	Day 36	Day 37	Day 38	Day 39	Day 40	Day 41	Day 42
Prednisolon	e Once a day	Once a day					
Acetate 1%	<u> </u>						



#### **CONTACT INFORMATION**

Please contact your Eyesight surgical coordinator if you have any questions by dialing 603-501-7868 and entering their extension prompt.

#### PORTSMOUTH COORDINATORS:

Sandy x230 Leah x240

### **SOMERSWORTH COORDINATORS:**

Cassie x263 Kimberly x541

#### **EXETER COORDINATORS:**

Deb x317

#### **KITTERY COORDINATORS:**

Rebecca x540

#### **SURGERY CENTER CONTACTS:**

Coastal Surgical Center - 291 Shattuck Way, Newington NH 603-314-8035 (before 4:30pm)

**Portsmouth Ambulatory Surgery Center -** 333 Borthwick Avenue, Portsmouth NH 603-433-0941 (before 5:30pm)

**Frisbie Memorial Hospital** - 11 Whitehall Road, Rochester NH 603-330-8936 (after 5pm 603-332-5211)

**Wentworth Douglass Hospital** – 789 Central Avenue, Dover NH 603-740-2281 (after 6pm 603-740-2433)

#### **Exeter Hospital**

5 Alumni Drive, Exeter NH 603-580-7568 (before 4:30pm) 603-580-7568 (before 4:30pm)