

MEDICATIONS

- 1. Most patients will be prescribed a special combination drop called Imprimis. This drop contains a combination of 3 eyedrops Prednisolone Acetate, Moxifloxacin and Nepafenac. You can pick up your eyedrops at any Eyesight office during normal business hours.
 - **Note:** if you are allergic to any of the medication in the Imprimis eyedrops, our office will call a different set of prescriptions into your pharmacy.
- 2. After surgery, you will use 1 drop of your Imprimis eyedrops in the operated eye 4 times per day (8am, 12pm, 4pm, 8pm) for 14 days, then 2 times per day (once in the morning and once at night). Use this drop for a minimum of 4 WEEKS after surgery. Your surgeon will inform you of any changes in the length of time or frequency to use your eyedrops.
- 3. Bring your eye drops and Surgery Drop Schedule to all follow-up appointments.
- 4. If you do not have enough drops to last at least 4 weeks, **stop into any Eyesight office location** to purchase more. If you have a pharmacy prescription, a refill is already available at your pharmacy.
- 5. For those patients who are on **Restasis or Xiidra or Cequa:** Please resume these drops AFTER surgical drops are gone.
 - 2 times per day until gone in the operated eye(s).
 - One vial should be used for a maximum of 1 or 2 days regardless of the instructions you receive from the pharmacy or on the package.



Imprimis Surgery Drop Schedule



Prednisolone-Moxifloxacin-Nepafenac

LEFT EYE

Beginning 1 hour BEFORE YOU LEAVE HOME, (regardless of how long it takes you to get to the surgery center) use the IMPRIMIS eyedrops every 15 minutes for a total of 4 times. i.e, if you are leaving home at 9:00am, you would use the IMPRIMIS eyedrops at 8:00, 8:15, 8:30 and 8:45. **Note: Shake eye drop bottle well prior to use.** It is only necessary to use **1 drop at a time** from the bottle *regardless of what the package insert says*.

RIGHT EYE

Beginning 1 HOUR BEFORE LEAVING HOME FOR THE SURGERY CENTER on							
	1 hour prior	45 minutes prior	30 minutes prior	15 minutes prior		After leaving the surgery center, use again at 12:00pm – 4:00pm – 8:00pm	
Eyedrops following surgery:							
Week 1	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
	4 times a day	4 times a day	4 times a day	4 times a day	4 times a day	4 times a day	4 times a day
Week 2	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14
	4 times a day	4 times a day	4 times a day	4 times a day	4 times a day	4 times a day	4 times a day
W. J. 2	2 45	5 46	5 47	D 40	5 40	5 20	5 24
Week 3	Day 15	Day 16	Day 17	Day 18	Day 19	Day 20	Day 21
	2 times a day	2 times a day	2 times a day	2 times a day	2 times a day	2 times a day	2 times a day
		Ц Ц		шш	⊔⊔	ЦЦ	
Week 4	Day 22	Day 23	Day 24	Day 25	Day 26	Day 27	Day 28
	2 times a day	2 times a day	2 times a day	2 times a day	2 times a day	2 times a day	2 times a day

Please bring your eye drops and this schedule to the surgery center and to all follow-up appointments.



CONTACT INFORMATION

Please contact your Eyesight surgical coordinator if you have any questions by dialing 603-501-7868 and entering their extension prompt.

PORTSMOUTH COORDINATORS:

Sandy x230 Leah x240

SOMERSWORTH COORDINATORS:

Cassie x263 Kimberly x541

EXETER COORDINATORS:

Deb x317

KITTERY COORDINATORS:

Rebecca x540

SURGERY CENTER CONTACTS:

Coastal Surgical Center - 291 Shattuck Way, Newington NH 603-314-8035 (before 4:30pm)

Portsmouth Ambulatory Surgery Center - 333 Borthwick Avenue, Portsmouth NH 603-433-0941 (before 5:30pm)

Frisbie Memorial Hospital - 11 Whitehall Road, Rochester NH 603-330-8936 (after 5pm 603-332-5211)

Wentworth Douglass Hospital – 789 Central Avenue, Dover NH 603-740-2281 (after 6pm 603-740-2433)

Exeter Hospital

5 Alumni Drive, Exeter NH 603-580-7568 (before 4:30pm) 603-580-7568 (before 4:30pm)