

Stand-Alone iSTENT / Hydrus/Canaloplasty/GONIOTOMY DROP



How to use
Maxitrol
ointment:



Step #1



Step #2



Step #3



Step #4

WEEK #1 PREDNISOLONE ACETATE 1% - 1 drop every four hours while awake (4 x daily) – 8a, 12p, 4p & 8p MOXIFLOXACIN 0.5% - 1 drop every four hours while awake (4 x daily)							
Week 1	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Moxifloxacin or Polytrim	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □
Prednisolone Acetate 1%	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □	4 times a day □ □ □ □

WEEK #2 PREDNISOLONE ACETATE 1% - 1 drop every six hours while awake (3 x daily) – 8a, 2p & 8p							
Week 2	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14
Prednisolone Acetate 1%	3 times a day □ □ □	3 times a day □ □ □	3 times a day □ □ □	3 times a day □ □ □	3 times a day □ □ □	3 times a day □ □ □	3 times a day □ □ □

WEEK #3 PREDNISOLONE ACETATE 1% - 1 drop 2 x daily – 8a, 8p							
Week 3	Day 15	Day 16	Day 17	Day 18	Day 19	Day 20	Day 21
Prednisolone Acetate 1%	2 times a day □ □	2 times a day □ □	2 times a day □ □	2 times a day □ □	2 times a day □ □	2 times a day □ □	2 times a day □ □

WEEK #4 PREDNISOLONE ACETATE 1% - 1 drop 1 x day – 8a							
Week 4	Day 22	Day 23	Day 24	Day 25	Day 26	Day 27	Day 28
Prednisolone Acetate 1%	1 time a day □	1 time a day □	1 time a day □	1 time a day □	1 time a day □	1 time a day □	1 time a day □

Continue regular glaucoma drops as prescribed in the NON-SURGICAL eye